



Clover Flex 3

What's New

Launching January 2023

Clover Flex 3 Summary

- ❖ Clover Flex 3 is a full-featured, handheld POS with a nearly 6" screen.
- ❖ Wireless charging is supported by the Clover Flex Wireless Cradle and it can also be charged with a USB-C cable.
- ❖ Flex 3 supports a WiFi and LTE connection (LAN not available).
- ❖ The battery life supports at least 8 hours of use for a typical SMB.
- ❖ Its features include a receipt printer, barcode scanner (camera), wireless charging cradle and a headset port. A silicone sleeve is shipped in box.
- ❖ Its optional compatible accessories include the Flex Travel Kit and an ADA compliant PIN Entry Aid.
- ❖ Clover Flex 3 features the new Avocado payment flow UI.
- ❖ It is fully integrated with Clover devices but cannot be tethered to any device over a wire.
- ❖ Clover Flex 3 is well-suited for a variety of verticals, including full-service restaurants- tableside and curbside, retail, and for merchants in the field.



Clover Flex 3 replaces Clover Flex 2

	Clover Flex 2	Clover Flex 3
Clover Os	Android 8.1	Android 10.X
PCI Certification	PCI PTS 5.x	PCI PTS 6.x
Payment Interface	Magnetic Stripe – 3 track-500K swipes - bi-directional Chip Card – ISO 7816 500K inserts Contactless EMVCo L1, L2 contact and contactless	Magnetic Stripe – 3 track-600K swipes – bi-directional Chip Card – ISO 7816 500K inserts Contactless EMVCo L1, L2 contact and contactless
Display	5.0" IPS HD display 1280 x 720 pixels	5.99" IPS HD display 1440 x 720 pixels
Device Dimensions (L x W x H)	196 x 81.5 x 51mm / 7.7 x 3.2 x 2.0in	186.5 X 82 X 54mm / 7.3 X 3.2 X 2.1in
Battery Time	Supports up to 8 hours of use for a typical SMB	Supports at least 8 hours of use for a typical SMB
Battery Charging Support	Less than 1.5 hours	With charging cradle – 2 hours With travel kit– 2.25 hours Supports USB Type C PD charging
Printer and Paper Roll Size	Thermal printer Roll width: 57 +0/-1 mm (2.25 in.) Roll diameter: 40 mm max (1.57 in.)	Thermal printer Roll width: 57 +0/-1 mm (2.25 in.) Roll diameter: 40 mm max (1.57 in.)

Clover Flex 3 replaces Clover Flex 2

	Clover Flex 2	Clover Flex 3
Employee Login Method	Employee Passcode Employee Login Card Fingerprint Login	Employee Passcode Employee Login Card
Camera	Color camera (5MP)	Color camera (5MP)
Barcode Reader	1D/2D barcode scanning – with dedicated external button for barcode	1D/2D barcode scanning – with dedicated external button for barcode
Ports (USB and Ethernet)	USB Type B – Device (with Optional Clover Flex Cable Kit) Ethernet (with Optional Clover Flex Cable Kit)	USB Type B – Device (ONLY with Clover Developer Kit)
LAN Connectivity	Wired LAN – 10/100 Fast Ethernet (with optional Clover Flex cable kit)	Not available
Wi-Fi	IEEE 802.11a/b/g/n/ac 1x1 , 2.4GHz and 5GHz	IEEE 802.11a/b/g/n/ac 1x1, 2.4GHz and 5GHz
Cellular Data	North America (C043U) : 4G/LTE only Europe (C043E) :4G/LTE only Argentina (C043L): 3G with 2G fallback	North America: 4G/LTE only Europe: 4G/LTE fallback support for 3G Argentina: 4G/LTE fallback support for 3G India: 4G/LTE fallback support for 3G
Accessories (optional)	Clover Flex PIN Entry Aid Silicone Sleeve Travel Kit	Clover Flex PIN Entry Aid Silicone Sleeve Travel Kit



Clover Flex 3 Positioning

Clover Flex 3 is a full-functioning POS device that accepts payments, tracks sales, and helps you run your business from the palm of your hand. Its LTE connectivity sets it apart so you can serve customers where they are- at tableside, in line, or out in the field. With an all-day battery, a built-in printer, wireless charging, and a bigger screen it's the perfect solution for the evolving needs- and speed- of your business.

